

# **Specification Sheet**

Part Number: 308-30621



Heat Shrink Tubing, HIS-3-Bag, 3:1 Shrink Ratio, 1/4", 6.4/2.0 Dia, PO, Clear, 10/pkg

Article Number	308-30621
Туре	HIS-3-BAG 6/2 CL
Color	Clear (CL)
Features & Benefits	• Thin wall, flexible 3 to 1 shrink ratio material accommodates a wide range of component shapes and diameters. • Meets UL224 VW-1 specifications, making it ideal for high heat applications (excludes clear tubing). • Polyolefin material provides excellent insulation and mechanical strength with good resistance to solvents, oils and fuels. • Available in bulk reels, sticks and convenience bags (HIS-3 bags), for small to large volume applications.
Quantity Per	bag

_		_		
Prod	1110+	I lac	crin	tian
FIUU	uci	DC3	UIID	uvii

TFN31 series heat shrink tubing features a flexible, thin wall and highly flame retardant polyolefin material with a higher operating temperature range than general-use heat shrink tubing. and offers good resistance to solvents, oils and fuels. The 3 to 1 shrink ratio accommodates a variety of component shapes and sizes. TFN31 tubing is available in bulk reels, sticks and convenience bags (HIS-3 bags), for projects of all sizes.

## **Short Description**

Heat Shrink Tubing, HIS-3-Bag, 3:1 Shrink Ratio, 1/4", 6.4/2.0 Dia, PO, Clear, 10/pkg

**Global Part Name** 

HIS-3-BAG 6/2 CL-PO-X-CL

Lenath	L	(Metric)	

200

Variant

Thin-Wall

## Nominal Diameter (Imperial)

1/4

**Nominal Diameter (Metric)** 

6.4

#### Wall Thickness WT (Imperial)

.026

Wall Thickness WT (Metric)

.65

### Material

Polyolefin, cross-linked (PO-X)

**Material Shortcut** 

PO-X

**Flammability** 

UL 224 VW-1 (except clear)

Halogen free

No

Operating Temperature (Metric)	-67°F to +275°F (-55°C to +135°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Certification/Specification WEB	SAE - AMS - DTL-23053/5 Class 2 (clear) UL   ANSI/UL 224 SAE - AMS - DTL-23053/5 Class 1 and 3
UL Recognized (US and Canada)	Yes
Package Quantity(Imperial)	10
Package Quantity (Metric)	10
Customs Number	3926909987

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

<sup>© 2018</sup> HellermannTyton. All rights reserved.