
REVISIONS										
REV	ECO	DESCRIPTION	DATE	BY	APPR					
A1	-	TECHNICAL DATA SHEET RELEASE	12-MAY-14	KMM	RFC					
	•		•		•					

M22, CLOSURE CAP, MALE, DROP

N O

유:





	PART NUMBER			DESCRIPTION					ITEM		
QUANTITY	MATERIALS LIST										
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30		SIGNATURES DATE		Amphonol							
		DRAWN:	KMM	12-MAY-14	Amphenol						
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:	MRF	12-MAY-14			Sine Systems - www.amphenol-sine.com				
3) Note reference = \(\int \text{X} \) MATERIAL SPECIFICATIONS: PROCESS SPECIFICATIONS: NEXT ASS'Y:		ENGINEER:	KMM		44724 Morley Drive						
		APPROVAL:	RFC	12-MAY-14		Clinton Township, MI 48036					
		CUSTOMER:		M22, CLOSURE CAP							
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED, ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS.		FOR MALE CONNECTOR, DROP							
				SIZE	C-	P29044			A1		
				SCALE: F	ULL	C-P2	29044	SHEET	1 (OF 1	

TECHNICAL DATA:

1) MATERIALS: HOUSING: MACHINED ALUMINUM, ANODIZED

2) RoHS COMPLIANT